

D-MAX-SERIES

**NEW NAME
SAME STRIPES**

D-MAX



ISUZU
With you, for the long run

CONTENTS

INTRODUCTION	01
NAMING STRATEGY	04
FUEL ECONOMY	05
POWERTRAIN & PERFORMANCE	07
SAFETY & SECURITY	11
CHASSIS & TOWING	15
DRIVING ASSISTANCE	19
40-YEAR PARTNERSHIP	25
COLOUR AND TRIM OPTIONS	31
EXTERIOR	35
INTERIOR	39
ISUZU FINANCE	41
ISUZU CARE	44
SPECIFICATIONS	48
COST OF OWNERSHIP	67

BUILT AFRICAN-TOUGH

YOU ARE AT THE HEART OF WHO WE ARE

Isuzu has been a leader in manufacturing some of the **toughest, safest** and most **innovative** vehicles since 1916 – claiming the longest history of any Japanese vehicle manufacturer and being the largest commercial diesel engine specialist. With over 25 million engines built to date, Isuzu has proven to exceed expectations in areas of **durability, reliability, capability** and **fuel economy**.

There's an unrivallable spirit of **adventure, determination** and **excellence** engrained into the DNA of every Isuzu. While the Isuzu KB range has been part of South Africans' fibre for **40 years**, Isuzu has had an 80-year long commitment to the environment, its partners

and communities in South Africa, which has earned it a reputation of **authenticity** and **innovative design**.

In the spirit of innovation, the Isuzu KB has evolved into the Isuzu **D-MAX** – **a bold new name bearing the same stripes**. It still promises a slick exterior, luxury interior, bold stance and multi-purpose **flexibility** made for local conditions, business and leisure.

The Isuzu **D-MAX** is a new name for a brand you've come to depend upon. You can therefore expect the same **range, quality, durability** and **value** synonymous with the **ISUZU WAY!**



02

Isuzu D-MAX 300 LX D/C in Pull Me Over Red

D-MAX



ISUZU D-MAX



DISCOVER THE ISUZU D-MAX

MAXIMUM MUSCULAR STYLING DELIVERED

The Isuzu **D-MAX** will undoubtedly boost the level of reliability, durability and capability you've become dependent upon, thanks to system upgrades which improve the performance and flexibility of your most trusted partner. While upgraded mechanical components increase drive comfort and efficiency, no expense was spared to enhance the muscular new styling.

*It's new features like Bi-LED headlights with LED Daytime Running Lights, a colour-coded radiator grille, chrome front fog lamp bezels, convenient sliding rear window, side-steps, chrome exterior side mirrors and statement-setting 16" – 18" alloy wheels sets the **D-MAX** apart from its proud predecessors.*

The Isuzu **D-MAX** delivers on the muscular styling and peace-of-mind performance that comes standard when you buy an Isuzu – add in refined interior ride comfort and any journey is a pleasure. Whether it's a long trip or a jaunt across the fields, your Isuzu **D-MAX** looks and performs like a pro.

VALUABLE EFFICIENCY

POWERFUL PERFORMANCE

FUEL EFFICIENCY CHART

Isuzu D-MAX Models	Transmission type	Combined cycle (l/100 km)
Double Cab		
Isuzu D-MAX 250 HO Standard 4X2	5-Speed Manual	7.7
Isuzu D-MAX 250 HO Hi-Rider 4X2	5-Speed Manual	7.7
Isuzu D-MAX 250 HO Hi-Rider 4X4	5-Speed Manual	7.9
Isuzu D-MAX 250 HO X-Rider 4X2	5-Speed Manual	7.7
Isuzu D-MAX 250 HO X-Rider 4X4	5-Speed Manual	7.9
Isuzu D-MAX 250 HO LE 4X2	5-Speed Manual	7.7
Isuzu D-MAX 300 LX 4X2	6-Speed Manual	7.7
Isuzu D-MAX 300 LX 4X2	6-Speed Automatic	7.5
Isuzu D-MAX 300 LX 4X4	6-Speed Manual	8.0
Isuzu D-MAX 300 LX 4X4	6-Speed Automatic	7.8
Extended Cab		
Isuzu D-MAX 250 HO Hi-Rider 4X2	5-Speed Manual	7.6
Isuzu D-MAX 300 LX 4X2	6-Speed Manual	7.8
Isuzu D-MAX 300 LX 4X2	6-Speed Automatic	7.5
Isuzu D-MAX 300 LX 4X4	6-Speed Manual	8.0
Single Cab		
Isuzu D-MAX 250 Standard 4X2	5-Speed Manual	7.9
Isuzu D-MAX 250 Fleetside 4X2	5-Speed Manual	7.9
Isuzu D-MAX 250 HO Fleetside 4X2	5-Speed Manual	7.6
Isuzu D-MAX 250 HO Fleetside Safety 4X2	5-Speed Manual	7.6
Isuzu D-MAX 250 HO Hi-Rider 4X4	5-Speed Manual	8.2
Isuzu D-MAX 250 HO LE 4X2	5-Speed Manual	7.6
Isuzu D-MAX 300 LX 4X2	6-Speed Manual	7.7
Isuzu D-MAX 300 LX 4X4	6-Speed Manual	8.2

Fuel consumption figures quoted are obtained under specific test conditions, by an independent 3rd party in their testing facility and according to Government Regulation SANS 20101.

D-MAX



DURABILITY




RELIABILITY

CAPABILITY

06

D-MAX

REAL TORQUE REAL PERFORMANCE



At the heart of every Isuzu lies a durable and reliable engine that allows you to fulfil your passions – whether business or pleasure. The **D-MAX** is capable of delivering up to 130 kW of Power, 380 Nm of Torque and an optimised manual or automatic 5- or 6-speed transmission which allows for a dynamic driving experience. Your **D-MAX** is committed to you, because with the right partner *anything is possible!*



08

**THE POWER LIES
WITHIN**

D-MAX



MAXIMUM PERFORMANCE

ISUZU MAKES THE IMPOSSIBLE, POSSIBLE

Its class-leading fuel efficiency and legendary power – in part due to its excellent aerodynamic exterior design – is what sets Isuzu apart. The **D-MAX** will deliver *reliable power, more usable torque* and *unrivalled fuel efficiency* with a *Euro 4 emissions rating**. It's the perfect vehicle solution for business and recreation, as well as for the eco-conscious.

Equipped with a *refined turbo-charged diesel engine* and state-of-the-art *manual* or *automatic* 5- or 6-speed intuitive transmission, the **D-MAX** will give you maximum control while achieving optimum fuel efficiency. So whether you're crossing deserts, scaling mountains or traversing the back roads to some of your greatest discoveries, the **D-MAX** provides you with maximum confidence.

* APPLICABLE TO ALL 3.0 LX MODELS



D-MAX



WE PLAY IT SAFE SO YOU DON'T HAVE TO


11

Your **D-MAX** will play host to some of your most valuable cargo, which means it's not only built to fit your lifestyle and all in it, but you're assured that all effort has been exhausted to ensure your total safety. Isuzu's commitment to your safety is built into the very fibre of your **D-MAX** – evident from the *cutting-edge safety* features such as *driver, passenger, front seat side* and *curtain airbags*, an *energy-absorbing front section* and *side-impact protection bars*. The **D-MAX** is also constructed around a tough cabin structure, which protects you and your passengers in the event of a collision, while **ESC, ABS** and **EBD** prepare you for the unexpected.

GROUND CLEARANCE

225 mm ground clearance – allowing you to negotiate the toughest terrain.*

*Only applicable to Hi-Rider Models.




12

D-MAX

ELECTRONIC STABILITY CONTROL (ESC)

for improved stability along gravel roads



Anti-Lock Braking System (**ABS**) with Electronic Brake-Force Distribution (**EBD**)



AIRBAGS

for a family, you need the priceless safety of 6 airbags



Bi-LED HEADLAMPS with DAYTIME RUNNING LIGHTS


to give your vehicle increased on-road visibility



BRAKE OVERRIDE SYSTEM (BOS)

TRAILER SWAY CONTROL

Detects sway automatically and applies brake force



REAR CAMERA
the extra pair of eyes we all need!

PARK-ASSIST CONTROL
*what your **REAR CAMERA** shows you*

SAFETY AND ...

PASSIVE ENTRY & PUSH-TO-START SYSTEM

*hands-free access system
without taking your key
out of your pocket or bag*



14

- **ANTI-THEFT ALARM SYSTEM**
- **REMOTE-CONTROLLED CENTRAL LOCKING**
- **ULTRASONIC ALARM**
*like a bat, high frequency
ultrasound waves bounce off
the slightest intrusion*
(only available in LX models)

SECURITY


D-MAX

15

WADING DEPTH

600 mm Wading Depth gives you confidence to conquer the South African down pour*

*Excluding the ISUZU D-MAX 250 STANDARD



MORE THAN EQUIPPED TO COPE

TOWING AND LOAD SPACE

Your **D-MAX** comes with high levels of refined and improved specifications, and a class-leading spacious interior. The **D-MAX** stretches out to **5 314 mm in length** and is up to **1 860 mm wide**, which guarantees a surefooted stance and ample loading space. Available in a **2.5 litres and 3.0 litres diesel engine, 4X2** or **4X4** while delivering up to **380 Nm** and **130 kW**.

The **D-MAX** is capable of towing up to **3 500 kg** and is designed to thrive in any environment ... proving that it's indeed more than equipped to cope.

16





18

D-MAX

HOLD YOUR GROUND

HILL-START ASSIST

No longer will you roll back when pulling away on an incline. **Hill-Start Assist (HSA)** will hold the brakes for two seconds or until propulsion is detected.


HILL DESCENT CONTROL

At the push of a button you can enjoy a smooth and controlled hill descent in rough terrain, thanks to **Hill Descent Control (HDC)** which engages the **Anti-Lock Braking System (ABS)** to brake the wheels even on slippery surfaces.




HILL-START ASSIST

HSA supports the vehicle on a steep ascent.



HILL DESCENT CONTROL

HDC engages the ABS to facilitate safe descent.



**FOR YOUR
UPS & DOWNS**

20

D-MAX

ONLY THE TOUGH WINS AGAINST ALL THE ODDS!



21



TYRES

All-terrain tyres for optimum performance on both tar and gravel.



URBAN



TRACTION

Traction control limits tyre slip on slippery surfaces.



WET



STABILITY CONTROL

Electronic Stability Control (ESC) with traction control will improve stability by automatically detecting and reducing loss of traction, which helps you stay in control and avoid crashes or skidding.



TAR



DIFF-LOCK

Diff-Lock provides increased traction by locking the wheels on the same axle to rotate evenly.



ROCK



22

D-MAX



TRAILMIX

Raw Energy: Walnuts, pumpkin seeds, sunflower seeds, cinnamon, nutmeg, sea salt, dried apricots, dried cranberries.

Peanut Butter Fun: Banana chips, peanut butter chips, salted peanuts, almonds, dark chocolate chips.

Spicy Blend: Almonds, pecans, walnuts, sunflower seeds, pumpkin seeds, sea salt, garlic powder, chilli powder, ground cumin.

**NEED A
LITTLE BOOST?**



ROCK-STEADY HANDLING

TRACTION CONTROL

Just like the terrain, South African weather conditions are unpredictable – traction control however gives you that **extra confidence** when the heavens open and the road surface becomes slippery.

REFINED SUSPENSION

Refined suspension guarantees a **smoother ride** on all road surfaces (including off-road) and improves your ride comfort.

COMMAND TERRAIN DIAL

A rotary dial mounted behind the gearstick allows you to easily engage four-wheel-drive, while the same dial allows you to **access low-range gears**, so your vehicle can climb up and over what lies ahead with ease.

AUTOMATIC ENGINE BRAKING

Automatic engine braking provides **impressive control** when decelerating down inclines – automatically downshifting for additional stopping power.

24

D-MAX



'SOUTH AFRICA'S BEST-LOVED BAKKIE'

STILL GOING STRONG

Your Isuzu is **versatile, tough and hardworking**. It can conquer just about anything you throw at it – off-road or on-road! During its **40-year partnership in South Africa** and 80 years in the game, Isuzu has become an integral part of South Africans' love of outdoor activities, as well as the ultimate business partner. While Isuzu is available in a variety of 4X2 and 4X4 models with varying levels of specifications – reliability, durability and capability will always remain in the DNA of every Isuzu.

As the vehicle of choice for business, leisure and everything in-between, we believe Isuzu has rightfully earned its title as '**South Africa's best-loved bakkie**', and will continue to develop innovative vehicle solutions that **add value to your life**.



POTBROOD

500 g Selfraising flour
1/2 Teaspoon salt
20 - 30 ml Sugar
1 Egg
340 ml Beer
(non-alcoholic)



Mix all the dry ingredients together, then add the egg and beer and mix thoroughly. Bake for one hour in a cast-iron bread pan, packing coals around the pan and some on the lid. Serve warm with a thick layer of butter and some biltong dust or jam.

**GOOD FOOD
GREAT VIEW!**



26

D-MAX







CLIMATE CONTROL

From snow-covered peaks to snow-cone melting heat, Climate Control continuously adjusts the aircon and heater settings to maintain a desired temperature.




WE'VE CHANGED OUR NAME NOT OUR HEART

SAME-SAME BUT REAL DIFFERENT

The **D-MAX** is an Isuzu like no other – the one to challenge the conventional!
It is both *hero* and *dependable* ally.

Express yourself and pick from a variety of colours and variations. Enjoy passenger car-like interiors, *durable toughness*, superior fuel economy, convenient *Daytime Running Lights* and *improved functional storage*. The **D-MAX** proves that *reliability* and style are not mutually exclusive.

Your Isuzu **D-MAX** isn't just a pretty face – it's designed to *improve your life* and is amongst the more affordable 4X4s on the market ... achieving yet another Isuzu triumph. The **D-MAX** is the perfect combination of 4X4 capability and luxury, making it an innovative vehicle solution designed to *adapt* to all your needs.



30

D-MAX

DESIGNED TO IMPROVE YOUR STATUS QUO

LEAVE YOUR MARK ON THE WORLD

The Isuzu **D-MAX** is available in a 2.5 litres and 3.0 litres diesel engine and comes in a variety of striking colours: *Summit White, Son of a Gun Grey, Blue Me Away, Pepper Dust, Black Meet Kettle, Pull Me Over Red* and *Switch Blade Silver*.

Exterior features are functional and striking, while interior finishes are more akin to a passenger car than a 4X4. From the inside out, your **D-MAX** has everything you need ... built to get you to those places others have forgotten, or to help you achieve new levels of efficiency and success.



SUMMIT WHITE



PEPPER DUST



BLUE ME AWAY



SON OF A GUN GREY



BLACK MEET KETTLE



PULL ME OVER RED



SWITCH BLADE SILVER



16" STEEL WHEEL



16" ALLOY WHEEL



17" ALLOY WHEEL



18" ALLOY WHEEL





D-MAX



TOWS UP TO 3.5 TONNES

THE EXTERIOR

**POLISHED CHROME
MIRRORS**

**16" TO 18"
STEEL/ALLOY
WHEELS**

**2 SLIDING REAR
WINDOW
ACCESS TO LOADBIN**

INTERMITTENT WIPERS

3 SIDE-STEPS

**DAYTIME RUNNING
LIGHTS (LED)
AND
1 Bi-LED HEADLAMPS**

**3 NEW CHROME
FRONT FOG LAMP BEZEL**

**4 NEW CHROME
RADIATOR GRILLE
AND
COLOUR-CODED
FRONT BUMPER**

FEATURES ONLY AVAILABLE IN THE FOLLOWING: 1 EXTENDED & DOUBLE CAB 3.0 LX MODELS 2 LE & LX MODELS 3 ALL MODELS EXCEPT X-RIDER 4 3.0 LX MODELS

MAX COMFORT

BECAUSE YOU DESERVE IT

The Isuzu **D-MAX** is a better way forward ... maintaining the same standard of design and innovative features like a **9" Touchscreen Integrated Infotainment System** with **Bluetooth®** and **Wi-Fi connectivity**, **iPod/USB ports**, as well as **embedded navigation***.

Entering your **D-MAX** is a hands-free process. Thanks to a **Passive Entry System** you can now access your vehicle without removing the keys from your pocket or bag. Once inside, finding the perfect position is simple due to the easily **Adjustable Seats (6-Way)**. On top of that, the **3-Point Seatbelt**, avoids the belt cutting into your neck ever again. Strapped in? Now adjust your **steering wheel** by tilting it up or down to find the ideal position.

All this and more proves that the **D-MAX** is indeed a **dynamically designed** vehicle with superior comforts and safety innovations ... placing your entertainment and comfort at the top of the priority list.

*Available with the Alpine System as optional.





D-MAX

THE INTERIOR

INFOTAINMENT SYSTEM

*with AM/FM Radio, 8" Touchscreen,
Bluetooth® – Audio Streaming,
Hands-Free Phone, USB, MirrorLink
(Embedded SatNav & Voice Recognition
– Alpine System Optional)*



6-WAY ADJUSTABLE BUCKET SEATS

*with Height-Adjustable
3-Point Seatbelts
(Passenger and Driver)*



GLOVE COMPARTMENT

Lockable



INTEGRATED CUPHOLDERS

*located near A/C vents, it
conveniently keeps beverages
perfectly chilled
(Passenger and Driver)*



ENGINE

*Intercooled Turbo-Charged Engine
available in 5- or 6-Speed Manual,
or 6-Speed Automatic Transmission*



INTERIOR COURTESY LAMPS

with One-Touch Map Light

SUNGLASSES COMPARTMENT

SUNVISOR

*with Convenient Ticketholder
& Vanity Mirror*

! AS VIEWS CHANGE YOU MAY EXPERIENCE BREATHLESSNESS!

INFOTAINMENT SYSTEM

*with AM/FM Radio, 8" Touchscreen, Bluetooth®
- Audio Streaming, Hands-Free Phone, USB, MirrorLink
(Embedded SatNav & Voice Recognition - Alpine System Optional)*

POWER WINDOWS

*Front & Rear with
Driver One-Touch,
Jam Protection & Timer*

CUPHOLDERS

SIDE MIRRORS

*Heated & Power Adjustable
with Side Indicator &
Fold-Away Function*

PIANO BLACK ACCENTS

LOCKABLE GLOVE COMPARTMENT

SPEED-SENSITIVE AUTOMATIC DOOR LOCK

*with Remote-Controlled
Central Locking*

CENTRE CONSOLE with Storage Box

PASSIVE ENTRY & PUSH-TO-START SYSTEM

UNDER SEAT STORAGE

MULTI-FUNCTION STEERING WHEEL

*Power-Assisted Steering
with Cruise Control*

LUXURY CHROME ACCENTS

SOFT-TOUCH ARMREST

D-MAX

ISUZU FINANCE

We make thousands of decisions a day. One of them is making the purchase of an Isuzu for your business or for recreational purposes. Thanks to Isuzu Finance, we offer you a wide range of competitive finance and insurance plans developed for, and tailored to, your unique requirements. You can be assured that financing your vehicle through one of our approved dealers will be a breeze, because we're passionate about delivering exceptional customer service!

Isuzu Finance is a product of WesBank – a division of FirstRand Bank Limited, an authorised financial services and credit provider. NCRCP20.

FlexiDrive

Isuzu has recently introduced ***Isuzu FlexiDrive*** – just one of Isuzu's flexible finance solutions. ***FlexiDrive*** deals are tailored payment structures which enable you to remain behind the wheel of the latest Isuzu model. Isuzu ***FlexiDrive*** deals offer you ***THREE easy options***: RETURN IT – REPLACE IT – RETAIN IT. Meaning you can RETURN your old Isuzu without any further payments or REPLACE it with any latest Isuzu, or RETAIN your old Isuzu by purchasing it. It's that easy!





ISUZU COMPLETE CARE

YOUR WARRANTY

For real care-free motoring, all new Isuzu vehicles come standard with a **5-Year / 120 000 km Warranty**. This 'bumper-to-bumper' warranty covers any unforeseen labour and component costs entirely FREE OF CHARGE, with the exception of normal wear items and routine servicing.

In order to maintain our high service standards, the warranty will only be valid if vehicles are serviced at an Isuzu Dealership on the specific service intervals. This means that parts are maintained and updates are performed properly – ensuring our vehicles continue to provide **reliability, economy** and **durability** for years to come.

ROADSIDE ASSISTANCE

For peace-of-mind motoring, Isuzu Roadside Assistance is available in the event of an unfortunate vehicle breakdown, because we are dedicated to getting you and your valued passengers to your destination as **quickly, safely** and **hassle-free** as possible. Please note that this service is only supported in South Africa, Namibia, Lesotho and Swaziland.

ISUZU MOBILITY

Isuzu Mobility provides you with the flexibility to upgrade the standard service plan up to **6 years or 200 000 km**. In addition, a full **Maintenance Plan** is also available to ensure complete peace of mind and financial certainty. Our aim is to keep you moving and to ensure that you don't get stuck with unexpected costs while traversing the unpredictable South African landscape.

SERVICE PLAN

Worrying about vehicle servicing costing you a small fortune is something of the past, thanks to Isuzu's **5-Year / 90 000 km Service Plan** with **12 Months / 15 000 km Service Intervals**. Together these plans guarantee excellence, transparency and real peace of mind. Your Service Plan will help keep your vehicle on the road by making sure its recommended scheduled services are taken care of by qualified technicians at approved dealerships who use only genuine parts.

Now you can spend less time worrying about your vehicle's service and more time enjoying the open road.

FACTORY-TRAINED TECHNICIANS

All our technicians are **'factory-trained'**, which means they have successfully completed a specific course offered by the manufacturer of parts for your Isuzu. All of our Factory-Trained Technicians have the expertise and skills to successfully replace and repair parts, as well as provide sound advice.





Isuzu D-MAX 250 Standard D/C in Summit White

SPECIFICATIONS

48

D-MAX SINGLE CAB	250 STANDARD	250 FLEETSIDE	250 HO FLEETSIDE	250 HO FLEETSIDE SAFETY	250 HO HI-RIDER	250 HO LE	300 LX	300 LX
DRIVE CONFIGURATION	4X2	4X2	4X2	4X2	4X4	4X2	4X2	4X4
ENGINE								
Engine Code	4JA1L	4JA1L	4JK1TC HO	4JK1TC HO	4JK1TC HO	4JK1TC HO	4JJ1TC HO	4JJ1TC HO
Displacement (cc)	2499	2499	2499	2499	2499	2499	2999	2999
No. of Cylinders	4	4	4	4	4	4	4	4
Compression Ratio	18.5:1	18.5:1	18.1:1	18.1:1	18.1:1	18.1:1	17.3:1	17.3:1
Bore X Stroke (mm)	93 X 92	93 X 92	95.4 X 87.4	95.4 X 87.4	95.4 X 87.4	95.4 X 87.4	95.4 X 104.9	95.4 X 104.9
No. of Valves	8	8	16	16	16	16	16	16
Power (kW) @ r/min	58 @ 3900	58 @ 3900	100 @ 3400	100 @ 3400	100 @ 3400	100 @ 3400	130 @ 3600	130 @ 3600
Torque (Nm) @ r/min	176 @ 1800	176 @ 1800	320 @ 1800 – 2800	320 @ 1800 – 2800	320 @ 1800 – 2800	320 @ 1800 – 2800	380 @ 1800 – 2800	380 @ 1800 – 2800
Turbocharger	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Intercooler	-	-	Standard	Standard	Standard	Standard	Standard	Standard
FUEL CONSUMPTION ⁽¹⁾								
Combined Cycle (l/100 km)	7.9	7.9	7.6	7.6	8.2	7.6	7.7	8.2
Combined CO ₂ Emissions (g/km)	208	208	199	199	217	199	203	215
Fuel Type	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
TRANSMISSION								
Transmission Type	5-Speed Manual	5-Speed Manual	5-Speed Manual	5-Speed Manual	5-Speed Manual	5-Speed Manual	6-Speed Manual	6-Speed Manual
Gear Ratio: 1st	4.357	4.357	4.008	4.008	4.008	4.008	4.942	4.942
Gear Ratio: 2nd	2.502	2.502	2.301	2.301	2.301	2.301	2.43	2.43
Gear Ratio: 3rd	1.501	1.501	1.427	1.427	1.427	1.427	1.428	1.428
Gear Ratio: 4th	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
Gear Ratio: 5th	0.809	0.809	0.744	0.744	0.744	0.744	0.749	0.749
Gear Ratio: 6th	-	-	-	-	-	-	0.634	0.634
Gear Ratio: Reverse	3.97	3.97	3.651	3.651	3.651	3.651	4.597	4.597
4WD Selector Switch	-	-	-	-	Standard	-	-	Standard
Low Range Ratio	-	-	-	-	2.482	-	-	2.482
FRONT DIFFERENTIAL								
Shift on the Fly up to 100 km/h	-	-	-	-	Standard	-	-	Standard
Axle Ratio: Final Drive	-	-	-	-	4.1	-	-	3.727
REAR DIFFERENTIAL								
Differential Lock	Available	Available	Available	Available	Standard	Standard	Standard	Standard
Axle Ratio: Final Drive	4.555	4.555	4.1	4.1	4.1	4.1	3.727	3.727

D-MAX SINGLE CAB	250 STANDARD	250 FLEETSIDE	250 HO FLEETSIDE	250 HO FLEETSIDE SAFETY	250 HO HI-RIDER	250 HO LE	300 LX	300 LX
DRIVE CONFIGURATION	4X2	4X2	4X2	4X2	4X4	4X2	4X2	4X4
CHASSIS DESIGN								
Front Wheel Suspension	Coil Over Shock	Coil Over Shock	Coil Over Shock	Coil Over Shock	Coil Over Shock	Coil Over Shock	Coil Over Shock	Coil Over Shock
Rear Wheel Suspension	Leaf-Spring Underslung	Leaf-Spring Overslung	Leaf-Spring Overslung	Leaf-Spring Overslung	Leaf-Spring Overslung	Leaf-Spring Overslung	Leaf-Spring Overslung	Leaf-Spring Overslung
Shock Absorbers	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Suspension	Low-Ride	High-Ride	High-Ride	High-Ride	High-Ride	High-Ride	High-Ride	High-Ride
Skid Plate Guard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Engine Sump Guard	-	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Transfer Case Guard	-	-	-	-	Standard	-	-	Standard
WHEELS / TYRES								
Tyre Size	215 / 70 R16C	205 / 70 R16C	205 / 70 R16C	245 / 70 R16C	245 / 70 R16	245 / 70 R16C	255 / 60 R18 AT	255 / 60 R18 AT
Wheel Size / Type	16" X 6.5J-41 Steel	16" X 6.5J-33 Steel	16" X 6.5J-33 Steel	16" X 6.5J-33 Steel	16" X 6.5J-33 Steel	16" X 7.0J-33 Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy
Spare Wheel	16" X 6.5J-41 Steel	16" X 6.5J-33 Steel	16" X 6.5J-33 Steel	16" X 6.5J-33 Steel	16" X 6.5J-33 Steel	16" X 6.5J-33 Steel	18" X 7.5J Alloy	18" X 7.5J Alloy
Turning Circle: Curb-to-Curb (m)	12.2	12.8	12.8	12.8	12.8	12.8	12.8	12.8
DIMENSIONS								
Length (mm)	5218	5218	5218	5218	5314	5314	5314	5314
Width (mm)	1860	1860	1860	1860	1860	1860	1860	1860
Height (mm)	1690	1790	1790	1790	1790	1790	1790	1790
Wheelbase (mm)	3095	3095	3095	3095	3095	3095	3095	3095
Front / Rear Track (mm)	1510 / 1510	1570 / 1570	1570 / 1570	1570 / 1570	1570 / 1570	1570 / 1570	1570 / 1570	1570 / 1570
Rear Overhang (mm)	1225	1225	1225	1225	1321	1321	1321	1321
Ground Clearance (mm)	200	200	225	225	225	225	220	220
Loadbox Length (mm)	2305	2305	2305	2305	2305	2305	2305	2305
Loadbox Width (mm)	1535	1535	1535	1535	1535	1535	1535	1535
Loadbox Depth (mm)	445	445	445	445	445	445	445	445
Approach Angle (°)	-	-	-	-	30.0	-	-	30.0
Departure Angle (°)	-	-	-	-	22.4	-	-	22.4
Breakover Angle (°)	-	-	-	-	22.4	-	-	22.4
Wading Depth (mm)	-	-	-	-	600	-	-	600
MASS / CAPACITIES								
Gross Vehicle Mass (GVM) (kg)	2850	2850	3000	3000	3000	3000	3100	3100
Gross Combined Mass (GCM) (kg)	4450	4450	5000	5000	5000	5000	6000	6000
Tare Mass (kg)	1620	1660	TBD	1710	1835	1740	1810	1905
Payload (kg) ⁽²⁾	1186	1137	TBD	1235	1112	1213	1238	1141

SO



D-MAX SINGLE CAB	250 STANDARD	250 FLEETSIDE	250 HO FLEETSIDE	250 HO FLEETSIDE SAFETY	250 HO HI-RIDER	250 HO LE	300 LX	300 LX
DRIVE CONFIGURATION	4X2	4X2	4X2	4X2	4X4	4X2	4X2	4X4
MASS / CAPACITIES								
Towing Capacity (kg): Unbraked ⁽³⁾	750	750	750	750	750	750	750	750
Towing Capacity (kg): Braked ⁽³⁾	1600	1600	2000	2000	2000	2000	2900	2900
Fuel Tank Capacity (Litres)	80	80	80	80	80	80	80	80
LOADBOX FEATURES								
Tiedown Brackets in Loadbox for Load Restraint	4	4	4	4	4	4	4	4
Rope Hooks on Loadbox Side	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
SAFETY FEATURES								
Load-Sensing Proportioning Valve (LSPV)	Standard	Standard	Standard	-	-	-	-	-
Anti-Lock Braking System (ABS)	-	-	-	Standard	Standard	Standard	Standard	Standard
Electronic Brake-Force Distribution (EBD)	-	-	-	Standard	Standard	Standard	Standard	Standard
Brake-Assist System (BAS)	-	-	-	Standard	Standard	Standard	Standard	Standard
Electronic Stability Control (ESC) with Traction Control	-	-	-	Standard	Standard	Standard	Standard	Standard
Hill-Start Assist (HSA)	-	-	-	Standard	Standard	Standard	Standard	Standard
Hill Descent Control (HDC)	-	-	-	Standard	Standard	Standard	Standard	Standard
Trailer Sway Control	-	-	-	-	-	-	Standard	Standard
Brake Override System (BOS)	-	-	-	-	-	-	Standard	Standard
Side-Impact Protection Bars	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Height-Adjustable 3-Point Seatbelts	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Front Seat Centre Lapbelt (2-Point)	Standard	Standard	Standard	Standard	-	-	-	-
Seatbelt Pre-Tensioners	-	-	-	Standard	Standard	Standard	Standard	Standard
Driver & Passenger Airbags	-	-	-	Standard	Standard	Standard	Standard	Standard
Collapsible Steering Column	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Speed-Sensitive Door Lock	-	-	-	-	-	Standard	Standard	Standard
Park Distance Control (PDC)	-	-	-	-	-	-	Rear	Rear
Warning Triangle Kit	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
SECURITY FEATURES								
Manual Door Locks	Standard	Standard	Standard	Standard	-	-	-	-
Remote-Controlled Central Locking	-	-	-	-	Standard	Standard	Standard	Standard
Remote Keyless Entry	-	-	-	-	Standard, Non-Integrated FOB	Standard, Integrated FOB	Standard, Integrated FOB	Standard, Integrated FOB
Anti-Theft Alarm System	Alarm Ready	Alarm Ready	Alarm Ready	Alarm Ready	Door-Activated Only	Standard	Standard	Standard
Ultrasonic Alarm	-	-	-	-	-	Standard	Standard	Standard

D-MAX SINGLE CAB	250 STANDARD	250 FLEETSIDE	250 HO FLEETSIDE	250 HO FLEETSIDE SAFETY	250 HO HI-RIDER	250 HO LE	300 LX	300 LX
DRIVE CONFIGURATION	4X2	4X2	4X2	4X2	4X4	4X2	4X2	4X4
SECURITY FEATURES								
Transponder Immobiliser System	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
INTERIOR / EXTERIOR LIGHTING								
Interior Courtesy Lamps	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Illuminated Entry	-	-	-	-	Standard	Standard	Standard	Standard
Fog Lamps	-	-	-	-	-	Front	Front	Front
Daytime Running Lights (DRL)	-	-	-	-	-	-	LED	LED
Headlamps	Halogen	Halogen	Halogen	Halogen	Halogen	Halogen	Projector	Projector
Headlamps 'ON' Warning Buzzer	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Side Indicator Lamp on Door	Standard	Standard	Standard	Standard	Standard	-	-	-
Rear Taillamps – Combination	Bulb	Bulb	Bulb	Bulb	Bulb	Bulb	LED	LED
Centre High-Mounted Stoplamp	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
EXTERIOR FEATURES								
Radiator Grille – Colour	Grey	Grey	Grey	Grey	Grey	Anthracite	Chrome	Chrome
Front Bumper – Colour	Black	Black	Black	Black	Body Colour	Body Colour	Body Colour	Body Colour
Rear Bumper – Colour	-	-	-	-	Black	Black	Chrome	Chrome
Exterior Door Handles – Colour	Black	Black	Black	Black	Black	Body Colour	Chrome	Chrome
Exterior Mirrors	Black – Manual Adjustment	Black – Manual Adjustment	Black – Manual Adjustment	Black – Manual Adjustment	Black – Power Adjustment	Body Colour – Power Adjustment, Side Indicator, Driver Side Aspherical	Chrome – Power Adjustment and Folding, Side Indicator, Driver Side Aspherical	Chrome – Power Adjustment and Folding, Side Indicator, Driver Side Aspherical
Black Side-Steps	-	-	-	-	-	-	Standard	Standard
Mudflaps	Front and Rear	Front and Rear	Front and Rear	Front and Rear	Front and Rear	Front and Rear	Front and Rear	Front and Rear
Wipers	Intermittent	Intermittent	Intermittent	Intermittent	Intermittent	Intermittent	Variable Intermittent	Variable Intermittent
Fog Lamp Bezel	-	-	-	-	-	Chrome	Chrome	Chrome
INTERIOR FEATURES								
Power-Assisted Steering (PAS)	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Standard	Standard	Hydraulic	Hydraulic
Steering Column Adjustment	Tilt	Tilt	Tilt	Tilt	Tilt	Tilt	Tilt	Tilt
Steering Wheel Material	Urethane	Urethane	Urethane	Urethane	Urethane	Leather-Wrapped	Leather-Wrapped	Leather-Wrapped
Multi-Function Controls	-	-	-	-	-	Audio	Audio and Auto Cruise	Audio and Auto Cruise
Interior Door Handles – Colour	Black	Black	Black	Black	Black	Black	Chrome	Chrome
Gearknob Trim	Standard	Standard	Standard	Standard	Urethane	Urethane	Urethane & Chrome	Urethane & Chrome
Front Seat Configuration	60:40-Split Bench Cushion	60:40-Split Bench Cushion	60:40-Split Bench Cushion	60:40-Split Bench Cushion	2 x Bucket Seats, Deluxe Pad	2 x Bucket Seats, Deluxe Pad	2 x Bucket Seats, Deluxe Pad	2 x Bucket Seats, Deluxe Pad
Seat Trim	Canvas	Canvas	Canvas	Canvas	Cloth	Cloth	Cloth	Cloth

D-MAX SINGLE CAB	250 STANDARD	250 FLEETSIDE	250 HO FLEETSIDE	250 HO FLEETSIDE SAFETY	250 HO HI-RIDER	250 HO LE	300 LX	300 LX
DRIVE CONFIGURATION	4X2	4X2	4X2	4X2	4X4	4X2	4X2	4X4
INTERIOR FEATURES								
Seat Adjustment	-	-	-	-	Driver – Manual Height, Reclining	Driver – Manual Height, Reclining	Driver – Manual Height, Reclining	Driver – Manual Height, Reclining
Floor Trim	Vinyl with Heel Mats (x 2)	Vinyl with Heel Mats (x 2)	Vinyl with Heel Mats (x 2)	Vinyl with Heel Mats (x 2)	Vinyl with Heel Mats (x 2)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)
Driver Footrest	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Air-Conditioner	-	Manual	Manual	Manual	Manual	Manual	Manual	Manual
Pollen Filter	-	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Inside Rear-View Mirror	Day / Night	Day / Night	Day / Night	Day / Night	Day / Night	Day / Night	Day / Night	Day / Night
Sunvisor	Driver and Passenger	Driver and Passenger	Driver and Passenger	Driver and Passenger	Driver and Passenger	Driver with Ticketholder and Passenger with Vanity Mirror	Driver with Ticketholder and Passenger with Vanity Mirror	Driver with Ticketholder and Passenger with Vanity Mirror
Digital Clock	Standard	Standard	Standard	Standard	Standard	-	-	-
Cruise Control	-	-	-	-	-	-	Standard	Standard
Multi-Information Display (MID)	-	-	-	-	-	-	Standard	Standard
Dashboard Illumination Control	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Auxiliary 12-V Power Socket	1	1	1	1	1	1	1	1
Lockable Glove Box	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Utility Box on Glove Box	Standard	Standard	Standard	Standard	Standard	Standard	Standard with Lid and Soft Pad and Black Garnish	Standard with Lid and Soft Pad and Black Garnish
Door Trim with Storage Pockets and Integrated Cupholders	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Floor Tunnel / Console with Integrated Cupholder	-	-	-	-	-	Standard	Standard	Standard
Centre Console Storage Box with Lid	-	-	-	-	Standard	Standard	Standard with Soft Armrest Pad	Standard with Soft Armrest Pad
Fuelflap Remote	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Window Operation	Manual – Front	Manual – Front	Manual – Front	Manual – Front	Power – Front with Driver One-Touch, Jam Protection and Timer	Power – Front with Driver One-Touch, Jam Protection and Timer	Power – Front with Driver One-Touch, Jam Protection and Timer	Power – Front with Driver One-Touch, Jam Protection and Timer
Rear Window	Fixed without Defogger	Fixed without Defogger	Fixed without Defogger	Fixed without Defogger	Fixed without Defogger	Sliding	Sliding	Sliding
INFOTAINMENT								
Audio System	Available	Available	Available	Available	AM/FM Radio, CD Player, USB, Clock, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, Clock, Bluetooth® Audio/ Hands-Free Phone, 8" Touchscreen	AM/FM Radio, Clock, Bluetooth® Audio/ Hands-Free Phone, 8" Touchscreen	AM/FM Radio, Clock, Bluetooth® Audio/ Hands-Free Phone, 8" Touchscreen
Audio Input Terminal: Auxiliary, iPod	-	-	-	-	Standard	Standard	Standard	Standard

D-MAX SINGLE CAB	250 STANDARD	250 FLEETSIDE	250 HO FLEETSIDE	250 HO FLEETSIDE SAFETY	250 HO HI-RIDER	250 HO LE	300 LX	300 LX
DRIVE CONFIGURATION	4X2	4X2	4X2	4X2	4X4	4X2	4X2	4X4
INFOTAINMENT								
USB Port (Music Playback and Device Link)	-	-	-	-	-	Front	Front	Front
USB Charge Ports	-	-	-	-	-	-	Front	Front
Speakers	Available (x 2)	Available (x 2)	Available (x 2)	Available (x 2)	2	4	4	4
Antenna	-	-	-	-	Standard	Standard	Standard	Standard
Rear Window	Fixed without Defogger	Fixed without Defogger	Fixed without Defogger	Fixed without Defogger	Fixed without Defogger	Sliding	Sliding	Sliding
OPTIONS								
Front Bumper – Body Colour	Available	Available	Available	Available	-	-	-	-
16" Alloy Wheels & 205 / 70 R16C Tyres (All Terrain)	-	Available	-	-	-	-	-	-
16" Alloy Wheels & 245 / 70 R16C Tyres (All Terrain)	-	-	Available	Available	Available	-	-	-
18" Alloy Wheels & 255 / 60 R18 Tyres (All Terrain)	-	-	-	-	Available	Available	-	-
Sliding Rear Window	Available	Available	Available	Available	Available	-	-	-
Fixed Rear Window without Defogger	-	-	-	-	-	Available	Available	Available
Black Leather Interior	-	-	-	-	Available	Available	Available	Available
AM/FM Radio, Clock, Bluetooth® Audio Streaming/Hands-Free Phone, 8" Touchscreen	Available	-	-	-	Available	-	-	-
Rear Step Bumper with Integrated Towbar – End Caps with Black Finishing	-	-	-	-	Available	Available	-	-
Rear Step Bumper with Integrated Towbar (Heavy-Duty) and Rear Park-Assist – End Caps with Bright Finishing	-	-	-	-	-	-	Available	Available
Metallic Paint	Available	Available	Available	Available	Available	Available	Available	Available
WARRANTY / SERVICE INTERVALS								
Warranty	5 Years / 120 000 km	5 Years / 120 000 km	5 Years / 120 000 km	5 Years / 120 000 km	5 Years / 120 000 km	5 Years / 120 000 km	5 Years / 120 000 km	5 Years / 120 000 km
Anti-Corrosion Warranty	5 Years / Unlimited km	5 Years / Unlimited km	5 Years / Unlimited km	5 Years / Unlimited km	5 Years / Unlimited km	5 Years / Unlimited km	5 Years / Unlimited km	5 Years / Unlimited km
Service Plan	5 Years / 90 000 km	5 Years / 90 000 km	5 Years / 90 000 km	5 Years / 90 000 km	5 Years / 90 000 km	5 Years / 90 000 km	5 Years / 90 000 km	5 Years / 90 000 km
Service Intervals	12 Months / 15 000 km	12 Months / 15 000 km	12 Months / 15 000 km	12 Months / 15 000 km	12 Months / 15 000 km	12 Months / 15 000 km	12 Months / 15 000 km	12 Months / 15 000 km

(1) Fuel Economy & CO₂ data as per ECE R101 / SANS 20101 Regulation. Note that the actual fuel consumption will depend on many factors, including the driver's driving habits, prevailing conditions & the vehicle's equipment, condition & use.

(2) Towing capacity subject to South African Road Traffic Act. The weight of the towing vehicle including trailer towball load must not exceed the Gross Vehicle Mass (GVM). The combined weight of the fully loaded vehicle & trailer must not exceed the Gross Combination Mass (GCM). Maximum individual axle loads (GA1 & GA2) must not be exceeded. (e.g.: if a 3.0 L Diesel is towing 3,500 kg its Maximum Vehicle Mass is 2,500 kg in order to be within GCM). Date of print October 2018.

(3) Payload – preliminary data shown for D-Max models

54



D-MAX EXTENDED CAB	250 HO HI-RIDER	300 LX M/T	300 LX A/T	300 LX M/T
DRIVE CONFIGURATION	4X2	4X2	4X2	4X4
ENGINE				
Displacement (cc)	2499	2999	2999	2999
No. of Cylinders	4	4	4	4
Compression Ratio	18.1:1	17.3:1	17.3:1	17.3:1
Bore X Stroke (mm)	95.4 X 87.4	95.4 X 104.9	95.4 X 104.9	95.4 X 104.9
No. of Valves	16	16	16	16
Power (kW) @ r/min	100 @ 3400	130 @ 3600	130 @ 3600	130 @ 3600
Torque (Nm) @ r/min	320 @ 1800 – 2800	380 @ 1800 – 2800	380 @ 1800 – 2800	380 @ 1800 – 2800
Turbocharger	Standard	Standard	Standard	Standard
Intercooler	Standard	Standard	Standard	Standard
FUEL CONSUMPTION ⁽¹⁾				
Combined Cycle (l/100 km)	7.6	7.8	7.5	8.0
Combined CO ₂ Emissions (g/km)	199	202	198	211
Fuel Type	Diesel	Diesel	Diesel	Diesel
TRANSMISSION				
Transmission Type	5-Speed Manual	6-Speed Manual	6-Speed Automatic	6-Speed Manual
Gear Ratio: 1st	4.008	4.942	3.6	4.942
Gear Ratio: 2nd	2.301	2.430	2.090	2.430
Gear Ratio: 3rd	1.427	1.428	1.488	1.428
Gear Ratio: 4th	1.000	1.000	1.000	1.000
Gear Ratio: 5th	0.744	0.749	0.678	0.749
Gear Ratio: 6th	-	0.634	0.58	0.634
Gear Ratio: Reverse	3.651	4.597	3.732	4.597
4WD Selector Switch	-	-	-	Standard
Low Range Ratio	-	-	-	2.482
FRONT DIFFERENTIAL				
Shift on the Fly up to 100 km/h	-	-	-	Standard
Axle Ratio: Final Drive	-	-	-	3.727
REAR DIFFERENTIAL				
Differential Lock	Optional	Standard	Standard	Standard
Axle Ratio: Final Drive	4.1	3.727	3.727	3.727

D-MAX EXTENDED CAB	250 HO HI-RIDER	300 LX M/T	300 LX A/T	300 LX M/T
DRIVE CONFIGURATION	4X2	4X2	4X2	4X4
CHASSIS DESIGN				
Suspension	High-Ride	High-Ride	High-Ride	High-Ride
Skid Plate Guard	Standard	Standard	Standard	Standard
Engine Sump Guard	Standard	Standard	Standard	Standard
Transfer Case Guard	-	-	-	Standard
WHEELS / TYRES				
Tyre Size	245 / 70 R16	255 / 60 R18	255 / 60 R18	255 / 60 R18
Wheel Size / Type	16" X 6.5J Steel	18" X 7.5J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy
Spare Wheel	16" X 6.5J Steel	18" X 7.5J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy
Turning Circle: Curb-to-Curb (m)	12.8	12.8	12.8	12.8
DIMENSIONS				
Length (mm)	5294	5294	5294	5294
Width (mm)	1860	1860	1860	1860
Height (mm)	1790	1790	1790	1790
Wheelbase (mm)	3095	3095	3095	3095
Front / Rear Track (mm)	1570 / 1570	1570 / 1570	1570 / 1570	1570 / 1570
Rear Overhang (mm)	1301	1301	1301	1301
Ground Clearance (mm)	225	220	220	220
Loadbox Length (mm)	1795	1795	1795	1795
Loadbox Width (mm)	1535	1535	1535	1535
Loadbox Depth (mm)	470	470	470	470
Approach Angle (°)	-	-	-	30.0
Departure Angle (°)	-	-	-	22.7
Breakover Angle (°)	-	-	-	22.4
Wading Depth (mm)	-	-	-	600
MASS / CAPACITIES				
Gross Vehicle Mass – (GVM) (kg)	3000	3100	3100	3100
Gross Combined Mass – (GCM) (kg)	5000	6000	6000	6000
Tare Mass (kg)	1795	1885	1900	1975
Payload (kg) ⁽²⁾	1155	1140	1150	1075
Towing Capacity (kg): Unbraked Trailer ⁽³⁾	750	750	750	750

S6



D-MAX EXTENDED CAB	250 HO HI-RIDER	300 LX M/T	300 LX A/T	300 LX M/T
DRIVE CONFIGURATION	4X2	4X2	4X2	4X4
MASS / CAPACITIES				
Towing Capacity / Rating (kg): Braked Trailer ⁽³⁾	2000	2900	2900	2900
Fuel Tank Capacity (Litres)	80	80	80	80
SAFETY FEATURES				
Anti-Lock Braking System (ABS)	Standard	Standard	Standard	Standard
Electronic Brake-Force Distribution (EBD)	Standard	Standard	Standard	Standard
Brake-Assist System (BAS)	Standard	Standard	Standard	Standard
Electronic Stability Control (ESC) with Traction Control	Standard	Standard	Standard	Standard
Hill-Start Assist (HSA)	Standard	Standard	Standard	Standard
Hill Descent Control (HDC)	Standard	Standard	Standard	Standard
Trailer Sway Control	-	Standard	Standard	Standard
Brake Override System (BOS)	-	Standard	Standard	Standard
Height-Adjustable 3-Point Seatbelts	Standard	Standard	Standard	Standard
Seatbelt Pre-Tensioners	Standard	Standard	Standard	Standard
Driver & Passenger Airbags	Standard	Standard	Standard	Standard
Speed-Sensitive Door Lock	-	Standard	Standard	Standard
Park Distance Control (PDC)	-	Rear	Rear	Rear
SECURITY FEATURES				
Remote-Controlled Central Locking	Standard	Standard	Standard	Standard
Anti-Theft Alarm System	Standard	-	-	-
Ultrasonic Alarm	-	Standard	Standard	Standard
INTERIOR / EXTERIOR LIGHTING				
Front Reading Lamps	-	Standard	Standard	Standard
Interior Courtesy Lamps	Standard	Standard	Standard	Standard
Illuminated Entry	Standard	Standard	Standard	Standard
Fog Lights	-	Front	Front	Front
Daytime Running Lights (DRL)	-	LED	LED	LED
Headlamps	Halogen	Bi-LED	Bi-LED	Bi-LED
Headlamp Levelling	-	Manual	Manual	Manual
Headlamps 'ON' Warning Buzzer	Standard	Standard	Standard	Standard

D-MAX EXTENDED CAB	250 HO HI-RIDER	300 LX M/T	300 LX A/T	300 LX M/T
DRIVE CONFIGURATION	4X2	4X2	4X2	4X4
INTERIOR / EXTERIOR LIGHTING				
Side Indicator Lamp on Door	Standard	-	-	-
Rear Taillamps – Combination	Bulb	LED	LED	LED
Centre High-Mounted Stoplamp	Standard	Standard	Standard	Standard
EXTERIOR FEATURES				
Radiator Grille – Colour	Grey	Chrome	Chrome	Chrome
Front Bumper – Colour	Body Colour	Body Colour	Body Colour	Body Colour
Rear Bumper – Colour	Black	Chrome	Chrome	Chrome
Exterior Door Handles – Colour	Black	Chrome	Chrome	Chrome
Exterior Mirrors	Black – Manual Adjustment	Chrome – Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical	Chrome – Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical	Chrome – Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical
Black Side-Steps	-	Standard	Standard	Standard
Mudflaps	Front and Rear	Front and Rear	Front and Rear	Front and Rear
Wipers	Intermittent	Variable Intermittent	Variable Intermittent	Variable Intermittent
INTERIOR FEATURES				
Power-Assisted Steering (PAS)	Standard	Hydraulic	Hydraulic	Hydraulic
Steering Wheel Material	Urethane	Leather	Leather	Leather
Multi-Function Steering Controls	-	Standard	Standard	Standard
Interior Door Handles – Colour	Black	Chrome	Chrome	Chrome
Gearknob Trim	Urethane	Urethane & Chrome	Urethane & Chrome	Urethane & Chrome
Front Seat Configuration	2 x Bucket Seats	2 x Bucket Seats	2 x Bucket Seats	2 x Bucket Seats
Seat Trim	Cloth	Cloth	Cloth	Cloth
Seat Adjustment	Driver – Manual Height, Reclining	Driver – Manual Height, Reclining	Driver – Manual Height, Reclining	Driver – Manual Height, Reclining
Storage Pockets behind Front Seats	Standard	Standard	Standard	Standard
Floor Trim	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)
Air-Conditioner	Manual	Manual	Manual	Manual
Inside Rear-View Mirror	Day / Night	Day / Night	Day / Night	Day / Night
Sunvisor	Driver and Passenger	Driver with Ticketholder and Passenger with Vanity Mirror	Driver with Ticketholder and Passenger with Vanity Mirror	Driver with Ticketholder and Passenger with Vanity Mirror
Overhead Console with Map Lamps (x 2) and Sunglasses Holder	-	Standard	Standard	Standard
Cruise Control	-	Standard	Standard	Standard

D-MAX EXTENDED CAB	250 HO HI-RIDER	300 LX M/T	300 LX A/T	300 LX M/T
DRIVE CONFIGURATION	4X2	4X2	4X2	4X4
INTERIOR FEATURES				
Auxiliary 12-V Power Socket	1	1	1	1
Cigarette Lighter	Standard	Standard	Standard	Standard
Lockable Glove Box	Standard	Standard	Standard	Standard
Floor Tunnel / Console with Integrated Cupholder	Standard	Standard	Standard	Standard
Centre Console Storage Box with Lid	Standard	Standard with Soft Armrest Pad	Standard with Soft Armrest Pad	Standard with Soft Armrest Pad
Storage Box	-	Standard	Standard	Standard
Fuelflap Remote	Standard	Standard	Standard	Standard
Window Operation	Power – Front with Driver One-Touch, Jam Protection	Power – Front with Driver One-Touch, Jam Protection and Timer	Power – Front with Driver One-Touch, Jam Protection and Timer	Power – Front with Driver One-Touch, Jam Protection and Timer
Rear Window	Fixed without Defogger	Sliding	Sliding	Sliding
INFOTAINMENT				
Audio System	AM/FM Radio, CD Player, USB, Clock, Bluetooth® – Audio Streaming and Hands-Free Phone	AM/FM Radio, Bluetooth® – Audio Streaming and Hands-Free Phone, USB, Voice Recognition, 8" Touchscreen	AM/FM Radio, Bluetooth® – Audio Streaming and Hands-Free Phone, USB, Voice Recognition, 8" Touchscreen	AM/FM Radio, Bluetooth® – Audio Streaming and Hands-Free Phone, USB, Voice Recognition, 8" Touchscreen
Speakers	2	6	6	6
Antenna	Standard	Standard	Standard	Standard
WARRANTY / SERVICE INTERVALS				
Warranty	5 Years / 120 000 km	5 Years / 120 000 km	5 Years / 120 000 km	5 Years / 120 000 km
Anti-Corrosion Warranty	5 Years / Unlimited km	5 Years / Unlimited km	5 Years / Unlimited km	5 Years / Unlimited km
Service Plan	5 Years / 90 000 km	5 Years / 90 000 km	5 Years / 90 000 km	5 Years / 90 000 km
Service Intervals	12 Months / 15 000 km	12 Months / 15 000 km	12 Months / 15 000 km	12 Months / 15 000 km

(1) Fuel Economy & CO₂ data as per ECE R101 / SANS 20101 Regulation. Note that the actual fuel consumption will depend on many factors, including the driver's driving habits, prevailing conditions & the vehicle's equipment, condition & use.

(2) Towing capacity subject to South African Road Traffic Act. The weight of the towing vehicle including trailer towball load must not exceed the Gross Vehicle Mass (GVM). The combined weight of the fully loaded vehicle & trailer must not exceed the Gross Combination Mass (GCM). Maximum individual axle loads (GA1 & GA2) must not be exceeded. (e.g.: if a 3.0 L Diesel is towing 3,500 kg its Maximum Vehicle Mass is 2,500 kg in order to be within GCM). Date of print October 2018.

(3) Payload – preliminary data shown for D-Max models

D-MAX DOUBLE CAB	250 HO STANDARD	250 HO HI-RIDER	250 HO HI-RIDER	250 HO X-RIDER	250 HO X-RIDER	250 HO LE	300 LX M/T	300 LX A/T	300 LX M/T	300 LX A/T
DRIVE CONFIGURATION	4X2	4X2	4X4	4X2	4X4	4X2	4X2	4X2	4X4	4X4
ENGINE										
Displacement (cc)	2499	2499	2499	2499	2499	2499	2999	2999	2999	2999
No. of Cylinders	4	4	4	4	4	4	4	4	4	4
Compression Ratio	18.1:1	18.1:1	18.1:1	18.1:1	18.1:1	18.1:1	17.3:1	17.3:1	17.3:1	17.3:1
Bore X Stroke (mm)	95.4 X 87.4	95.4 X 87.4	95.4 X 87.4	95.4 X 87.4	95.4 X 87.4	95.4 X 87.4	95.4 X 104.9	95.4 X 104.9	95.4 X 104.9	95.4 X 104.9
No. of Valves	16	16	16	16	16	16	16	16	16	16
Power (kW) @ r/min	100 @ 3400	100 @ 3400	100 @ 3400	100 @ 3400	100 @ 3400	100 @ 3400	130 @ 3600	130 @ 3600	130 @ 3600	130 @ 3600
Torque (Nm) @ r/min	320 @ 1800 – 2800	320 @ 1800 – 2800	320 @ 1800 – 2800	320 @ 1800 – 2800	320 @ 1800 – 2800	320 @ 1800 – 2800	380 @ 1800 – 2800	380 @ 1800 – 2800	380 @ 1800 – 2800	380 @ 1800 – 2800
Turbocharger	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Intercooler	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
FUEL CONSUMPTION ⁽¹⁾										
Combined Cycle (l/100 km)	7.7	7.7	7.9	7.7	7.9	7.7	7.7	7.5	8.0	7.8
Combined CO ₂ Emissions (g/km)	203	203	208	203	208	203	203	198	211	206
Fuel Type	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
TRANSMISSION										
Transmission Type	5-Speed Manual	5-Speed Manual	5-Speed Manual	5-Speed Manual	5-Speed Manual	5-Speed Manual	6-Speed Manual	6-Speed Automatic	6-Speed Manual	6-Speed Automatic
Gear Ratio: 1st	4.008	4.008	4.008	4.008	4.008	4.008	4.942	3.600	4.942	3.600
Gear Ratio: 2nd	2.301	2.301	2.301	2.301	2.301	2.301	2.430	2.090	2.430	2.090
Gear Ratio: 3rd	1.427	1.427	1.427	1.427	1.427	1.427	1.428	1.488	1.428	1.488
Gear Ratio: 4th	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
Gear Ratio: 5th	0.744	0.744	0.744	0.744	0.744	0.744	0.749	0.678	0.749	0.678
Gear Ratio: 6th	-	-	-	-	-	-	0.634	0.580	0.634	0.580
Gear Ratio: Reverse	3.651	3.651	3.651	3.651	3.651	3.651	4.597	3.732	4.597	3.732
4WD Selector Switch	-	-	Standard	-	Standard	-	-	-	Standard	Standard
Low Range Ratio	-	-	2.482	-	2.482	-	-	-	2.482	2.482
FRONT DIFFERENTIAL										
Shift on the Fly up to 100 km/h	-	-	Standard	-	Standard	-	-	-	Standard	Standard
Axle Ratio: Final Drive	-	-	4.1	-	4.1	-	-	-	3.727	3.727
REAR DIFFERENTIAL										
Differential Lock	Available	Available	Standard	Available	Standard	Standard	Standard	Standard	Standard	Standard
Axle Ratio: Final Drive	4.1	4.1	4.1	4.1	4.1	4.1	3.727	3.727	3.727	3.727

D-MAX DOUBLE CAB	250 HO STANDARD	250 HO HI-RIDER	250 HO HI-RIDER	250 HO X-RIDER	250 HO X-RIDER	250 HO LE	300 LX M/T	300 LX A/T	300 LX M/T	300 LX A/T
DRIVE CONFIGURATION	4X2	4X2	4X4	4X2	4X4	4X2	4X2	4X2	4X4	4X4
CHASSIS DESIGN										
Suspension	High-Ride	High-Ride	High-Ride	High-Ride	High-Ride	High-Ride	High-Ride	High-Ride	High-Ride	High-Ride
Skid Plate Guard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Engine Sump Guard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Transfer Case Guard	-	-	Standard	-	Standard	-	-	-	Standard	Standard
WHEELS / TYRES										
Tyre Size	245 / 70 R16C	245 / 70 R16	245 / 70 R16	255 / 60 R18	255 / 60 R18	245 / 70 R16	255 / 60 R18	255 / 60 R18	255 / 60 R18	255 / 60 R18
Wheel Size / Type	16" X 6.5J Steel	16" X 6.5J Steel	16" X 6.5J Steel	18" X 7.5J Alloy	18" X 7.5J Alloy	16" X 7J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy
Spare Wheel	16" X 6.5J Steel	16" X 6.5J Steel	16" X 6.5J Steel	18" X 7.5J Alloy	18" X 7.5J Alloy	16" X 6.5J Steel	18" X 7.5J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy
Turning Circle: Curb-to-Curb (m)	12.8	12.8	12.8	12.8	12.8	12.8	12.8	12.8	12.8	12.8
DIMENSIONS										
Length (mm)	5294	5294	5294	5294	5294	5294	5294	5294	5294	5294
Width (mm)	1860	1860	1860	1860	1860	1860	1860	1860	1860	1860
Height (mm)	1790	1790	1790	1790	1790	1790	1790	1790	1790	1790
Wheelbase (mm)	3095	3095	3095	3095	3095	3095	3095	3095	3095	3095
Front / Rear Track (mm)	1570 / 1570	1570 / 1570	1570 / 1570	1570 / 1570	1570 / 1570	1570 / 1570	1570 / 1570	1570 / 1570	1570 / 1570	1570 / 1570
Rear Overhang (mm)	1301	1301	1301	1301	1301	1301	1301	1226	1226	1301
Ground Clearance (mm)	225	225	225	225	225	225	220	220	220	220
Loadbox Length (mm)	1485	1485	1485	1485	1485	1485	1485	1485	1485	1485
Loadbox Width (mm)	1530	1530	1530	1530	1535	1535	1535	1535	1535	1535
Loadbox Depth (mm)	465	465	465	465	470	470	470	470	470	470
Approach Angle (°)	-	-	30.0	-	30.0	-	-	-	30.0	30.0
Departure Angle (°)	-	-	22.7	-	21.4	-	-	-	22.7	22.7
Breakover Angle (°)	-	-	22.4	-	22.4	-	-	-	22.4	22.4
Wading Depth (mm)	-	-	600	-	600	-	-	-	600	600
MASS / CAPACITIES										
Gross Vehicle Mass (GVM) (kg)	3000	3000	3000	3000	3000	3000	3100	3100	3100	3100
Gross Combined Mass (GCM) (kg)	5000	5000	5000	5000	5000	5000	6000	6000	6000	6000
Tare Mass (kg)	1810	1845	1940	1930	2025	1845	1935	1950	2085	2100
Payload (kg) ⁽²⁾	1140	1074	980	1024	995	1100	1085	1111	972	945

D-MAX DOUBLE CAB	250 HO STANDARD	250 HO HI-RIDER	250 HO HI-RIDER	250 HO X-RIDER	250 HO X-RIDER	250 HO LE	300 LX M/T	300 LX A/T	300 LX M/T	300 LX A/T
DRIVE CONFIGURATION	4X2	4X2	4X4	4X2	4X4	4X2	4X2	4X2	4X4	4X4
MASS / CAPACITIES										
Towing Capacity (kg): Unbraked ⁽³⁾	750	750	750	750	750	750	750	750	750	750
Towing Capacity (kg): Braked ⁽³⁾	2000	2000	2000	2000	2000	2000	2900	2900	2900	2900
Fuel Tank Capacity (Litres)	80	80	80	80	80	80	80	80	80	80
SAFETY FEATURES										
Load-Sensing Proportioning Valve (LSPV)	Standard	-	-	-	-	-	-	-	-	-
Anti-Lock Braking System (ABS)	-	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Electronic Brake-Force Distribution (EBD)	-	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Brake-Assist System (BAS)	-	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Electronic Stability Control (ESC) with Traction Control	-	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Hill-Start Assist (HSA)	-	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Hill Descent Control (HDC)	-	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Trailer Sway Control	-	-	-	-	-	-	Standard	Standard	Standard	Standard
Brake Override System (BOS)	-	-	-	-	-	-	Standard	Standard	Standard	Standard
Height-Adjustable 3-Point Seatbelts	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Seatbelt Pre-Tensioners	-	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Driver & Passenger Airbags	-	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Front Seat Side Airbags	-	-	-	-	-	-	Standard	Standard	Standard	Standard
Curtain Airbags	-	-	-	-	-	-	Standard	Standard	Standard	Standard
Speed-Sensitive Door Lock	-	-	-	-	-	Standard	Standard	Standard	Standard	Standard
ISOFIX Child Seat Attachment	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Park Distance Control (PDC)	-	-	-	-	-	-	Rear	Rear	Rear	Rear
Rear-View Camera	-	-	-	-	-	-	Standard	Standard	Standard	Standard
SECURITY FEATURES										
Manual Door Locks	Standard	-	-	-	-	-	-	-	-	-
Remote-Controlled Central Locking	-	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Passive Entry Start System (PESS)	-	-	-	-	-	-	Standard	Standard	Standard	Standard
Anti-Theft Alarm System	-	Door-Activated Only	Door-Activated Only	Door-Activated Only	Standard – Door-Activated	-	-	-	-	-

D-MAX DOUBLE CAB	250 HO STANDARD	250 HO HI-RIDER	250 HO HI-RIDER	250 HO X-RIDER	250 HO X-RIDER	250 HO LE	300 LX M/T	300 LX A/T	300 LX M/T	300 LX A/T
DRIVE CONFIGURATION	4X2	4X2	4X4	4X2	4X4	4X2	4X2	4X2	4X4	4X4
INTERIOR / EXTERIOR LIGHTING										
Ultrasonic Alarm	-	-	-	-	-	Standard	Standard	Standard	Standard	Standard
Front Reading Lamps	-	-	-	-	-	Standard	Standard	Standard	Standard	Standard
Interior Courtesy Lamps	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Illuminated Entry	-	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Fog Lamps	-	-	-	Front	Front	Front	Front	Front	Front	Front
Daytime Running Lights (DRL)	-	-	-	Standard	Standard	-	LED	LED	LED	LED
Headlamps	Halogen with Multi-Reflector	Halogen with Multi-Reflector	Halogen with Multi-Reflector	Projector with Multi-Reflector	Projector with Multi-Reflector	Halogen with Multi-Reflector	Bi-LED	Bi-LED	Bi-LED	Bi-LED
Headlamp Levelling	-	-	-	-	-	-	Manual	Manual	Manual	Manual
Headlamps 'ON' Warning Buzzer	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Rear Taillamps – Combination	Bulb	Bulb	Bulb	Bulb	Bulb	Bulb	LED	LED	LED	LED
Centre High-Mounted Stoplamp	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
EXTERIOR FEATURES										
Radiator Grille – Colour	Grey	Grey	Grey	Black with Red Isuzu Badge	Black with Red Isuzu Badge	Anthracite	Chrome	Chrome	Chrome	Chrome
Front Bumper – Colour	Black	Body Colour	Body Colour	Body Colour	Body Colour	Body Colour	Body Colour	Body Colour	Body Colour	Body Colour
Rear Bumper – Colour	Black	Black	Black	Black	Black	Black	Chrome	Chrome	Chrome	Chrome
Towbar	-	Optional	Optional	Standard	Standard	Optional	Optional (Heavy-Duty)	Optional (Heavy-Duty)	Standard (Heavy-Duty)	Standard (Heavy-Duty)
Exterior Door Handles – Colour	Black	Black	Black	Black	Black	Body Colour	Chrome	Chrome	Chrome	Chrome
Exterior Mirrors	Black – Manual Adjustment	Black – Power Adjustment	Black – Power Adjustment	Black – Power Adjustment	Black – Power Adjustment	Body Colour – Power Adjustment, Side Indicator, Driver Side Aspherical	Chrome – Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical	Chrome – Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical	Chrome – Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical	Chrome – Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical
Black Side-Steps	-	Standard	Standard	Tubular – X-Rider	Tubular – X-Rider	Standard	Standard	Standard	Standard	Standard
Mudflaps	Front and Rear	Front and Rear	Front and Rear	Front and Rear	Front and Rear	Front and Rear	Front and Rear	Front and Rear	Front and Rear	Front and Rear
Roof Rails	-	-	-	-	-	-	-	-	Standard	Standard
Black Sportbar	-	-	-	X-Rider	X-Rider	-	-	-	Stainless Steel	Stainless Steel
Wipers	Intermittent	Intermittent	Intermittent	Intermittent	Intermittent	Intermittent	Variable Intermittent	Variable Intermittent	Variable Intermittent	Variable Intermittent
INTERIOR FEATURES										
Power-Assisted Steering (PAS)	Hydraulic	Standard	Standard	Standard	Standard	Standard	Hydraulic	Hydraulic	Hydraulic	Hydraulic

D-MAX DOUBLE CAB	250 HO STANDARD	250 HO HI-RIDER	250 HO HI-RIDER	250 HO X-RIDER	250 HO X-RIDER	250 HO LE	300 LX M/T	300 LX A/T	300 LX M/T	300 LX A/T
DRIVE CONFIGURATION	4X2	4X2	4X4	4X2	4X4	4X2	4X2	4X2	4X4	4X4
INTERIOR FEATURES										
Steering Wheel Material	Urethane	Urethane	Urethane	Leather	Leather	Leather	Leather	Leather	Leather	Leather
Multi-Function Steering Controls	-	-	-	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Interior Door Handles – Colour	Black	Black	Black	Black	Black	Black	Chrome	Chrome	Chrome	Chrome
Gearknob Trim	Standard	Urethane	Urethane	Urethane	Urethane	Urethane	Urethane & Chrome	Urethane & Chrome	Urethane & Chrome	Urethane & Chrome
Front Seat Configuration	2 x Bucket Seats	2 x Bucket Seats	2 x Bucket Seats	2 x Bucket Seats	2 x Bucket Seats	2 x Bucket Seats	2 x Bucket Seats	2 x Bucket Seats	2 x Bucket Seats	2 x Bucket Seats
Rear Seat Configuration	60:40-Split Bench Cushion	60:40-Split Bench Cushion	60:40-Split Bench Cushion	60:40-Split Bench Cushion	60:40-Split Bench Cushion	60:40-Split Bench Cushion	60:40-Split Bench Cushion with Centre Armrest	60:40-Split Bench Cushion with Centre Armrest	60:40-Split Bench Cushion with Centre Armrest	60:40-Split Bench Cushion with Centre Armrest
Seat Trim	Cloth	Cloth	Cloth	Leather – X-Rider logo on Headrest	Leather – X-Rider logo on Headrest	Cloth	Cloth	Cloth	Leather	Leather
Seat Adjustment	Driver – Manual Height, Reclining	Driver – Manual Height, Reclining	Driver – Manual Height, Reclining	Driver – Manual Height, Reclining	Driver – Manual Height, Reclining	Driver – Manual Height, Reclining	Driver – Manual Height, Reclining	Driver – Manual Height, Reclining	Driver – Power (6-Way)	Driver – Power (6-Way)
Storage Pockets behind Front Seats	-	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Floor Trim	Vinyl with Heel Mats (x 2)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)
Air-Conditioner	Manual	Manual	Manual	Manual	Manual	Manual	Automatic Climate Control	Automatic Climate Control	Automatic Climate Control	Automatic Climate Control
Inside Rear-View Mirror	Day / Night	Day / Night	Day / Night	Day / Night	Day / Night	Day / Night	Day / Night	Day / Night	Day / Night	Day / Night
Sunvisor	Driver and Passenger	Driver and Passenger	Driver and Passenger	Driver and Passenger	Driver and Passenger	Driver with Ticketholder and Passenger with Vanity Mirror	Driver with Ticketholder and Passenger with Vanity Mirror	Driver with Ticketholder and Passenger with Vanity Mirror	Driver with Ticketholder and Passenger with Vanity Mirror	Driver with Ticketholder and Passenger with Vanity Mirror
Overhead Console with Map Lamps (x 2) and Sunglasses Holder	-	-	-	-	-	-	Standard	Standard	Standard	Standard
Cruise Control	-	-	-	-	-	Standard	Standard	Standard	Standard	Standard
Auxiliary 12-V Power Socket	1	1	1	1	1	1	1	1	1	1
Lockable Glove Box	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Floor Tunnel / Console with Integrated Cupholder	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Centre Console Storage Box with Lid	Standard	Standard	Standard	Standard	Standard	Standard	Standard with Soft Armrest Pad	Standard with Soft Armrest Pad	Standard with Soft Armrest Pad	Standard with Soft Armrest Pad
Fuelflap Remote	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Window Operation	Manual – Front & Rear	Power – Front & Rear with Driver One-Touch, Jam Protection and Timer	Power – Front & Rear with Driver One-Touch, Jam Protection and Timer	Power – Front & Rear with Driver One-Touch, Jam Protection and Timer	Power – Front & Rear with Driver One-Touch, Jam Protection and Timer	Power – Front & Rear with Driver One-Touch, Jam Protection and Timer	Power – Front & Rear with Driver One-Touch, Jam Protection and Timer	Power – Front & Rear with Driver One-Touch, Jam Protection and Timer	Power – Front & Rear with Driver One-Touch, Jam Protection and Timer	Power – Front & Rear with Driver One-Touch, Jam Protection and Timer

D-MAX DOUBLE CAB	250 HO STANDARD	250 HO HI-RIDER	250 HO HI-RIDER	250 HO X-RIDER	250 HO X-RIDER	250 HO LE	300 LX M/T	300 LX A/T	300 LX M/T	300 LX A/T
DRIVE CONFIGURATION	4X2	4X2	4X4	4X2	4X4	4X2	4X2	4X2	4X4	4X4
INTERIOR FEATURES										
Rear Window	Fixed without Defogger	Fixed without Defogger	Fixed without Defogger	Fixed without Defogger	Fixed without Defogger	Sliding	Sliding	Sliding	Sliding	Sliding
INFOTAINMENT										
Audio System	AM/FM Radio, CD Player, USB, Clock, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, CD Player, USB, Clock, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, CD Player, USB, Clock, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, CD Player, USB, Clock, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, CD Player, USB, Clock, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, Bluetooth® – Audio Streaming & Hands-Free Phone, USB, Voice Recognition, 8" Touchscreen	AM/FM Radio, Bluetooth® – Audio Streaming & Hands-Free Phone, USB, Voice Recognition, Rear-View Camera, 8" Touchscreen	AM/FM Radio, Bluetooth® – Audio Streaming & Hands-Free Phone, USB, Voice Recognition, Rear-View Camera, 8" Touchscreen	AM/FM Radio, Bluetooth® – Audio Streaming & Hands-Free Phone, USB, Voice Recognition, Rear-View Camera, 8" Touchscreen	AM/FM Radio, Bluetooth® – Audio Streaming & Hands-Free Phone, USB, Voice Recognition, Rear-View Camera, 8" Touchscreen
Speakers	2	6	6	6	6	6	8	8	8	8
Antenna	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
WARRANTY / SERVICE INTERVALS										
Warranty	5 Years / 120 000 km	5 Years / 120 000 km	5 Years / 120 000 km	5 Years / 120 000 km	5 Years / 120 000 km	5 Years / 120 000 km	5 Years / 120 000 km	5 Years / 120 000 km	5 Years / 120 000 km	5 Years / 120 000 km
Anti-Corrosion Warranty	5 Years / Unlimited km	5 Years / Unlimited km	5 Years / Unlimited km	5 Years / Unlimited km	5 Years / Unlimited km	5 Years / Unlimited km	5 Years / Unlimited km	5 Years / Unlimited km	5 Years / Unlimited km	5 Years / Unlimited km
Service Plan	5 Years / 90 000 km	5 Years / 90 000 km	5 Years / 90 000 km	5 Years / 90 000 km	5 Years / 90 000 km	5 Years / 90 000 km	5 Years / 90 000 km	5 Years / 90 000 km	5 Years / 90 000 km	5 Years / 90 000 km
Service Intervals	12 Months / 15 000 km	12 Months / 15 000 km	12 Months / 15 000 km	12 Months / 15 000 km	12 Months / 15 000 km	12 Months / 15 000 km	12 Months / 15 000 km	12 Months / 15 000 km	12 Months / 15 000 km	12 Months / 15 000 km

(1) Fuel Economy & CO₂ data as per ECE R101 / SANS 20101 Regulation. Note that the actual fuel consumption will depend on many factors, including the driver's driving habits, prevailing conditions & the vehicle's equipment, condition & use.

(2) Towing capacity subject to South African Road Traffic Act. The weight of the towing vehicle including trailer towball load must not exceed the Gross Vehicle Mass (GVM). The combined weight of the fully loaded vehicle & trailer must not exceed the Gross Combination Mass (GCM). Maximum individual axle loads (GA1 & GA2) must not be exceeded. (e.g.: if a 3.0 L Diesel is towing 3 500 kg its Maximum Vehicle Mass is 2 500 kg in order to be within GCM). Date of print October 2018.

(3) Payload – preliminary data shown for D-Max models



D-MAX

COST OF OWNERSHIP

CLASS-LEADING

Isuzu vehicles are equipped to operate under harsh conditions, while simultaneously driving down your cost of ownership. Thanks to continuous research done by ***Kaizen Market Research and Consultancy***, our developers are able to make strategic decisions to craft an ***authentic, innovative vehicle solution*** that not only promises legendary ***agility*** and ***versatility***, but also ***adds value to your life***.

Isuzu's broad national dealer network, collaborative company ethos and ***class-leading servicing*** and ***parts costs***, as well as local assembly, mean less downtime and costs to company. Altogether it ensures that all repairs and routine servicing are quick and affordable.

Purchasing an Isuzu is an investment – an active partnership with the goal of lifelong driving pleasure – backed by a brand which consistently produces results aimed at tougher durability, better reliability and improved capability. Isuzu has an overall interest in enhancing your life – whether it's routine, extreme, or anything in-between.

68

ISUZU

With you, for the long run

D-MAX

ORION



www.isuzu.co.za



Customer Care

Tel: 0800 147 898

ISUZU

With you, for the long run

Disclaimer: The information contained in this brochure was accurate at the time of going to print (October 2018). Specifications and equipment are subject to change without prior notice. Some illustrations in this brochure feature special equipment that is not included in standard delivery, and can be purchased at an additional cost. Printed colours may vary from actual. Errors and omissions excepted. Terms and conditions apply. Please contact your Isuzu retailer for exact information.